# **IMMBIOMED**

## ImmBioMed GmbH & Co. KG

Bergstrasse 85, DE-64319 Pfungstadt Phone: +49 6157 9799 685, Fax: +49 6157 86443

## Monoclonal antibody against human CD147

Product Nos. ADG5090 and ADG5090L

## **Description**

Emmprin (extracellular matrix metalloproteinase inducer) (basigin, neurothelin, OX-47, 5A11, CE9, M6) also known as CD147 or TCSF (tumour cellcollagenase-stimulatory factor) ubiquitously expressed cell surface protein with multiple glycosylated forms. The highest level of CD147 expression is on metabolically active cells, such as lymphoblasts, inflammatory cells, brown adipocytes and malignant tumour cells. CD147 has multiple functions, including facilitating of cell surface expression of monocarboxylate transporter proteins and extracellular matrix metalloproteinases, regulation of integrin functions, it plays roles in cell development and activation, fetal development or retinal function.

## **Properties**

The monoclonal antibody ADG5090/L (clone IT10C5) is a murine monoclonal antibody, subclass  $IgG_1$ . The antibody has been purified from hybridoma ascites using protein-A affinity chromatography, Purity > 95% (by SDS-PAGE).

The antibody recognizes human Emmprin.



Gerhart-Hauptmann-Str. 48 69221 Dossenheim

Tel +49 6221 868023 Fax +49 6221 8680255 www.loxo.de - info@loxo.de

#### Hinweis/Note:

Der Packungsbeileger dient nur als erste Information. Der relevante Packungsbeileger liegt der Ware bei.

The datasheet is for information purposes only. The current datasheet will be enclosed with product shipment.

## **Presentation**

Vial containing 100  $\mu$ g /100  $\mu$ l (ADG5090) or 300  $\mu$ g/300  $\mu$ l (ADG5090L) of purified antibody in PBS containing 0.09 % sodium azide (pH 7.2). The IgG concentration is 1 mg/ml. Spin the vial briefly before opening.


## Storage and Stability

Store at 4 °C. For long-term storage aliquot and store at -20°. It is recommended to avoid freeze-thaw cycles. The reagent is stable until the expiry date stated on the vial label.

## **Applications**

#### ELICA

Western Blotting (recommended concentration of 0.1  $-10 \mu g/ml$ )



This material is offered for <u>research use only</u>. Not for use in human. For in vitro use only. ImmBioMed will not be held responsible for patent infringement or other violations that may occur with the use of our products.